

**Test Report** No.: SHTY150600008497 Date: Jun 18, 2015 Page 1 of 8

ZHE JIANG MUYI IMP & EXP CO., LTD 2ND FLOOR, JIANG NAN BUILDING, HUANGYAN, ZHEJIANG, CHINA

The following samples were submitted and identified by/on behalf of the client as: WOODEN FOREST FRIEND YO-YO

Sample Quantity **18 PCS** Style / Item No. 22974

Manufacturer TAIZHOU ZHANHUA ARTS&CRAFTS CO.,LTD

Labeled Age Grading NOT SUITABLE FOR CHILDREN UNDER 36 MONTHS

Requested Age Grading 3+

Age Group Assessed As Per Age Guideline 3+ YEARS Age Group Applied in Testing 3+ YEARS Sample Receiving Date JUN 09, 2015 Further Information Date JUN 17, 2015

**Testing Period** JUN 09, 2015 TO JUN 18, 2015

**Test Requested** Result

EN 71-1: 2014 - Safety of toys - Part 1: Mechanical and Physical Properties **Pass** 

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-

Safety of toys

EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability **Pass** 

EN71-3:2013 + A1:2014 under European Directive 2009/48/EC - Migration of certain **Pass** 

elements

\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*\*\*\*\*

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wallace Lui

Senior Technical Manager, Asia

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.">httm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemptised and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsufficient and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312 中国・上海・徐汇区宜山路889号3号楼 邮編:200233

f (86-21)61402590 f (86-21)61402590

www.cn.sgs.com e sgs.china@sgs.com

See Result



**Test Report** No.: SHTY150600008497 Date: Jun 18, 2015 Page 2 of 8

Results:

#### EN 71-1:2014 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1: 2014 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL **PROPERTIES** 

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	<u>Pass</u>
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects:  a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months (Remark: The toy contains long cord. It is acceptable because appropriate warning is found on packaging.)	Pass See Remark

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

# LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO THE DIRECTIVE 2009/48/EC - SAFETY OF TOYS

### Summary table:

	Observation Result	Location
CE mark	Absent	/
Importer's Name & Address	Absent	/
Manufacturer's Name & Address	Absent	/
Product ID	Absent	/

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">https://www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indempitied and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention subjects that information contained hereon reflects the Company's findings at the time of its intervention subjects that information contained hereon reflects the Company's findings at the time of its intervention subjects that information contained hereon reflects the Company's findings at the time of its intervention subjects to subject to the subjec

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312 中国・上海・徐汇区宜山路889号3号楼 邮編:200233

f (86-21)61402590 f (86-21)61402590



**Test Report** No.: SHTY150600008497 Date: Jun 18, 2015 Page 3 of 8

#### Note:

- CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 2. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

### EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u> **Description** 4.1 General requirements

# EN71-3:2013+A1:2014 under European Directive 2009/48/EC-Migration of certain elements

Test Method: With reference to EN71-3:2013+A1:2014, analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>	<u>002</u>	<u>003</u>
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	119	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	394
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)	70000	mg/kg	50	ND	ND	63
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	$\overline{ND}$	$\overline{ND}$	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemplifeation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and which the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excoverate parties to a transaction from ever using all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsufficient and the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312 中国・上海・徐汇区宜山路889号3号楼 邮編:200233

f (86-21)61402590 f (86-21)61402590

www.cn.sgs.com e sqs.china@sqs.com

Result

**Pass** 



Test Report	No.:	SHTY150600008497	Date	: Jun 18,	2015	Page	4 of 8
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B) \ ´		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)		15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	813	ND
Soluble Zinc (Zn)		46000	mg/kg	50	647	72	240
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)		70000	mg/kg	50	ND	ND	360
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	4.9	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>007</u>	<u>008</u>	<u>009</u>
Soluble Chromium (VI) (Ci	· VI)	0.2	mg/kg	0.18	ND	ND	-
Soluble Lead (Pb)		160	mg/kg	10	ND	ND	
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	
Soluble Cadmium (Cd)		17	mg/kg	10	ND	ND	
Soluble Chromium (III) (Cr	III)	460	mg/kg	5	ND	ND	-
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	
Soluble Boron (B)		15000	mg/kg	50	ND	ND	
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	
Soluble Manganese (Mn)		15000	mg/kg	50	ND	ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	94	529	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	
Soluble Aluminum (Al)		70000	mg/kg	50	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	4.9	ND	ND	
Soluble Organic Tin*		12	mg/kg	-	ND	ND	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>010</u>	<u>011</u>	<u>012</u>
Soluble Chromium (VI) (Ci	· VI)	0.2	mg/kg	0.18	-	-	ND
Soluble Lead (Pb)		160	mg/kg	10			ND
Soluble Antimony (Sb)		560	mg/kg	10			ND
Soluble Arsenic (As)		47	mg/kg	10			ND
Soluble Barium (Ba)		18750	mg/kg	50			ND
Soluble Cadmium (Cd)		17	mg/kg	10			ND
Soluble Chromium (III) (Cr	· III)	460	mg/kg	5	-	-	ND
Soluble Mercury (Hg)		94	mg/kg	10			ND
Soluble Selenium (Se)		460	mg/kg	10			ND
Soluble Boron (B)		15000	mg/kg	50			ND
Soluble Cobalt (Co)		130	mg/kg	10			ND
Soluble Manganese (Mn)		15000	mg/kg	50			ND
Soluble Strontium (Sr)		56000	mg/kg	50			ND
Soluble Zinc (Zn)		46000	mg/kg	50			ND
Soluble Copper (Cu)		7700	mg/kg	50			ND
Soluble Aluminum (Al)		70000	mg/kg	50			ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indempities and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from executing all their fights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unexthorized alteration argery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless of the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312

t (86-21)61152312

f (86-21)61402590



Test Report	No.:	SHTY150600008497	Date	: Jun 18,	2015	Page	5 of 8
Soluble Nickel (Ni)		930	mg/kg	10			ND
Soluble Tin (Sn)		180000	mg/kg	4.9			ND
Soluble Organic Tin*		12	mg/kg	-			ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>013</u>	<u>014</u>	<u>015</u>
Soluble Chromium (VI) (C	r VI)	0.2	mg/kg	0.18	-	-	-
Soluble Lead (Pb)		160	mg/kg	10			
Soluble Antimony (Sb)		560	mg/kg	10			
Soluble Arsenic (As)		47	mg/kg	10			
Soluble Barium (Ba)		18750	mg/kg	50			
Soluble Cadmium (Cd)		17	mg/kg	10			
Soluble Chromium (III) (Ci	· III)	460	mg/kg	5	-	-	-
Soluble Mercury (Hg)		94	mg/kg	10			
Soluble Selenium (Se)		460	mg/kg	10			
Soluble Boron (B)		15000	mg/kg	50			
Soluble Cobalt (Co)		130	mg/kg	10			
Soluble Manganese (Mn)		15000	mg/kg	50 50			
Soluble Strontium (Sr)		56000 46000	mg/kg	50 50			
Soluble Zinc (Zn) Soluble Copper (Cu)		7700	mg/kg mg/kg	50 50			
Soluble Aluminum (Al)		70000	mg/kg	50			
Soluble Nickel (Ni)		930	mg/kg	10			
Soluble Tin (Sn)		180000	mg/kg	4.9			
Soluble Organic Tin*		12	mg/kg	-			
Colubic Organic Till		12	mg/kg				
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>016</u>	<u>017</u>	<u>018</u>
Soluble Chromium (VI) (C	r VI)	0.2	mg/kg	0.18	-	-	-
Soluble Lead (Pb)		160	mg/kg	10			
Soluble Antimony (Sb)		560	mg/kg	10			
Soluble Arsenic (As)		47	mg/kg	10			
Soluble Barium (Ba)		18750	mg/kg	50			
Soluble Cadmium (Cd)	. 1111	17	mg/kg	10			
Soluble Chromium (III) (Ci	111)	460	mg/kg	5 10	-	-	-
Soluble Mercury (Hg)		94 460	mg/kg	10			
Soluble Selenium (Se) Soluble Boron (B)		15000	mg/kg	50			
Soluble Cobalt (Co)		130	mg/kg mg/kg	10			
Soluble Manganese (Mn)		15000	mg/kg	50			
Soluble Strontium (Sr)		56000	mg/kg	50			
Soluble Zinc (Zn)		46000	mg/kg	50			
Soluble Copper (Cu)		7700	mg/kg	50			
Soluble Aluminum (Al)		70000	mg/kg	50			
Soluble Nickel (Ni)		930	mg/kg	10			
Soluble Tin (Sn)		180000	mg/kg	4.9			
Soluble Organic Tin*		12	mg/kg	-			
~			5 5				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.htm and,for electronic format documents,subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemptised and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention of the inition of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any ungestionized alteration are greatly as a subject to the full of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless therwise stated the faults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

 $3^{rd} \text{Building,No.889,Yishan Road, Xuhui District Shanghai,China 200233} \qquad t \ (86\text{-}21)61152312$ 中国・上海・徐汇区宜山路889号3号楼

邮编:200233

t (86-21)61152312

f (86-21)61402590 f (86-21)61402590



Test Report	No.:	SHTY150600008497	Date	e: Jun 18,	2015	Page	6 of 8
Test Item(s)		Limit	Unit	MDL	<u>019</u>	<u>020</u>	<u>021</u>
Soluble Chromium (VI) (Cr	VI)	0.2	mg/kg	0.18	-	-	
Soluble Lead (Pb)	,	160	mg/kg	10			
Soluble Antimony (Sb)		560	mg/kg	10			
Soluble Arsenic (As)		47	mg/kg	10			
Soluble Barium (Ba)		18750	mg/kg	50			
Soluble Cadmium (Cd)		17	mg/kg	10			
Soluble Chromium (III) (Cr	III)	460	mg/kg	5	-	-	-
Soluble Mercury (Hg)		94	mg/kg	10			
Soluble Selenium (Se)		460	mg/kg	10			
Soluble Boron (B)		15000	mg/kg	50			
Soluble Cobalt (Co)		130	mg/kg	10			
Soluble Manganese (Mn)		15000	mg/kg	50			
Soluble Strontium (Sr)		56000	mg/kg	50			
Soluble Zinc (Zn)		46000	mg/kg	50			
Soluble Copper (Cu)		7700	mg/kg	50			
Soluble Aluminum (Al)		70000	mg/kg	50			
Soluble Nickel (Ni)		930	mg/kg	10			
Soluble Tin (Sn)		180000	mg/kg	4.9			
Soluble Organic Tin*		12	mg/kg	-			
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>022</u>	<u>023</u>	<u>024</u>
Soluble Chromium (VI) (Cr	VI)	0.2	mg/kg	0.18	-	-	-
Soluble Lead (Pb)		160	mg/kg	10			
Soluble Antimony (Sb)		560	mg/kg	10			
Soluble Arsenic (As)		47	mg/kg	10			
Soluble Barium (Ba)		18750	mg/kg	50			
Soluble Cadmium (Cd)		17	mg/kg	10			
Soluble Chromium (III) (Cr	III)	460	mg/kg	5	-	-	-
Soluble Mercury (Hg)		94	mg/kg	10			
Soluble Selenium (Se)		460	mg/kg	10			
Soluble Boron (B)		15000	mg/kg	50			
Soluble Cobalt (Co)		130	mg/kg	10			
Soluble Manganese (Mn)		15000	mg/kg	50			
Soluble Strontium (Sr)		56000	mg/kg	50			
Soluble Zinc (Zn)		46000	mg/kg	50			
Soluble Copper (Cu)		7700	mg/kg	50			
Soluble Aluminum (Al)		70000	mg/kg	50			
Soluble Nickel (Ni)		930	mg/kg	10			
Soluble Tin (Sn)		180000	mg/kg	4.9			
Soluble Organic Tin*		12	mg/kg	-			

### Notes:

- (1) Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN71-3:2013+A1:2014.
- (2) Mass of trace amount of sample 012 is17.7mg.
- (3) As received, the test portion of 009~011,013~024 is less than 10mg, therefore such components were not tested for migration of certain elements, as specified in the European Standard EN71-3:2013+A1:2014
- (4) \*Confirmation test of soluble organic tin is not required in case of soluble tin, after

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.htm and,for electronic format documents,subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemptisetted and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention of the inition of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsufficient and this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312

f (86-21)61402590 f (86-21)61402590



**Test Report** No.: SHTY150600008497 Date: Jun 18, 2015 Page 7 of 8

conversion, does not exceed the soluble organic tin requirement as specified in EN71-3:2013+A1:2014

### Test Part Description:

Specimen No.	SGS Sample ID	Description
SN1	SHA15-109571.001	Natural-colored MDF(Yo-yo)
SN2	SHA15-109571.002	White rope
SN3	SHA15-109571.003	Blue coating with white undercoat(Yo-yo)
SN4	SHA15-109571.004	Orange coating with white undercoat(Yo-yo)
SN5	SHA15-109571.005	Red coating with white undercoat(Yo-yo)
SN6	SHA15-109571.006	Purple coating with white undercoat(Yo-yo)
SN7	SHA15-109571.007	Yellow coating with white undercoat(Yo-yo)
SN8	SHA15-109571.008	Green coating with white undercoat(Yo-yo)
SN9	SHA15-109571.009	Light blue coating(Circle)
SN10	SHA15-109571.010	Yellow coating(Circle)
SN11	SHA15-109571.011	Pink coating(Circle)
SN12	SHA15-109571.012	Light purple coating(Circle)
SN13	SHA15-109571.013	Orange coating(Circle)
SN14	SHA15-109571.014	Light green coating(Circle)
SN15	SHA15-109571.015	White coating(On animal)
SN16	SHA15-109571.016	Black coating(Eye,nose)
SN17	SHA15-109571.017	Light orange coating(Squirrel)
SN18	SHA15-109571.018	Flesh coating(On squirrel,racoon)
SN19	SHA15-109571.019	Light brown coating(Pine cone)
SN20	SHA15-109571.020	Blue coating(Racoon,owl)
SN21	SHA15-109571.021	Brown-red coating(Deer)
SN22	SHA15-109571.022	Beige coating(On deer,hedgehog)
SN23	SHA15-109571.023	Red coating(Fox)
SN24	SHA15-109571.024	Brown coating(Hedgehog)

## Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated

N.B.: - Only applicable clauses were shown.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.">httm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemptised and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention of the Hills of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsufficient and this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3<sup>rd</sup> Building,No.889,Yishan Road, Xuhui District Shanghai,China 200233 t (86-21)61152312 中国・上海・徐汇区宜山路889号3号楼 邮編:200233

f (86-21)61402590 f (86-21)61402590



**Test Report** No.: SHTY150600008497 Date: Jun 18, 2015 Page 8 of 8

## Sample Photo:



SGS authenticate the photo on original report only \*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.">https://www.sgs.com/terms\_and\_conditions.</a> htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indempification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interverbier and years within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from executing all their fight, and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any ungestionized alteration; to gerry or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless there was extend the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312

f (86-21)61402590